



Forni

FIDC X502

ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

| | |
|--|----|
| Product recyclability | |
| Recycled material in the product | 0 |
| Rare earths in the product, contains at least (mg) | 0 |
| Precious metals in the product, contains at least (mg) | 0 |
| Packaging recyclability | |
| Recycled material in the packaging | 30 |
| Possibility of reusing packaging | No |

CARATTERISTICHE PRINCIPALI

| | |
|--------------------|---------------|
| Modello | FIDC X502 |
| Codice prodotto | 33703434 |
| Codice EAN | 8059019050416 |
| Tipo di forno | Ventilato |
| Alimentazione | Elettrico |
| Sistema di pulizia | - |
| Volume utile (l) | 65 |

CARATTERISTICHE TECNICHE

| | |
|--------------|-----------------|
| Connettività | Contenuti extra |
| IoT App | |
| Tecnologia | |

| | |
|--|-----------------|
| Tipo di controllo | Meccanico |
| Girarrosto a motore | No |
| Guide | |
| Vassoio | 1 x 40mm |
| Griglie (cavità 1) | 2 |
| Accessori opzionali | - |
| PROGRAMMI E FUNZIONI | |
| Sonda carne | |
| Softclose | No |
| Tipologia seconda cavità | - |
| Numero funzioni | 5 |
| ESTETICA | |
| Colore | Inox |
| Materiale porta | Vetro |
| Colore manopola | Inox |
| Colore maniglia | Inox |
| PERFORMANCE | |
| Consumo in modalità stand-by di rete (W) | 0 |
| Consumo in modalità stand-by (W) | 0,5 |
| Classe energetica | A |
| Classe energetica - camera 2 | 0 |
| DIMENSIONI | |
| Dimensioni del prodotto (mm) | 595 x 595 x 568 |
| Dimensioni del vano per l'installazione (mm) | 585 x 560 x 560 |
| Altezza del prodotto (mm) | 595 |
| Larghezza del prodotto (mm) | 595 |
| Profondità del prodotto (mm) | 568 |
| Altezza del prodotto imballato (mm) | 665 |
| Larghezza del prodotto imballato (mm) | 620 |
| Profondità del prodotto imballato (mm) | 646 |

| | |
|-----------------|------|
| Peso netto (kg) | 24,1 |
| Peso lordo (kg) | 25,8 |